

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name **Perkute Cleaner 03**

- UFI: 4V30-X0VF-K00V-K1N6

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture **Cleaning agent / Cleaner**

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

PERKUTE - Maschinenbau GmbH

Düsterbergstr. 10

D-48432 Rheine

Tel. ++ 49 / 59 71 / 80 81 68 - 0

Fax ++ 49 / 59 71 / 80 81 68 - 1

E-Mail: info@perkute.de

- Informing department: Product safety department

- 1.4 Emergency telephone number:

This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet.

Counselling Centre for Poisoning, Mainz

Tel. (+49) 61 31 / 19 240.

* SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 Void

- Hazard pictograms Void

- Signal word Void

- Hazard statements Void

- Additional information:

Safety data sheet available on request.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

- Determination of endocrine-disrupting properties

95-14-7 benzotriazole

List II

* SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description: Mixture of the substances listed below with non-hazardous additions (solution in water).

- Dangerous components:

CAS: 10043-35-3

EINECS: 233-139-2

Reg.nr.: 01-2119486683-25

boric acid

Repr. 1B, H360FD

2,5-10%

(Contd. on page 2)

EUE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

Trade name Perkute Cleaner 03

(Contd. of page 1)

CAS: 20405-61-2 EINECS: 243-795-1	D-gluconic acid, compound with 2-aminoethanol (1:1) Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥2,5-<10%
CAS: 102-71-6 EINECS: 203-049-8 Reg.nr.: 01-2119486482-31	Triethanolamine substance with a Community workplace exposure limit	≤2,5%
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	≤2,5%
CAS: 95-14-7 EINECS: 202-394-1 Reg.nr.: 01-2119979079-20	benzotriazole Aquatic Chronic 2, H411; Acute Tox. 4, H302; Eye Irrit. 2, H319 Substance with a Community workplace exposure limit. Substance identified as having endocrine disrupting properties (II).	≥0,25-≤1%
- SVHC		
10043-35-3	boric acid	

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

- **Composition/Ingredients**

Constituents according to EC-Regulation 648/2004:

< 5 % polycarboxylates,

Preservative (Benzotriazole)

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General advice:** Change contaminated clothing.

- **After inhalation** Supply fresh air; consult doctor in case of symptoms.

- **After skin contact**

Wash skin with water using soap if available. If persistent irritation occurs, obtain medical attention.

- **After eye contact**

Rinse opened eye for 15 minutes under running water.

In case of persistent symptoms consult doctor.

- **After swallowing**

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

- **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

- **5.3 Advice for firefighters**

- **Protective equipment:** Wear self-contained breathing apparatus.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

Trade name **Perkute Cleaner 03**

(Contd. of page 2)

- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures**- 6.1 Personal precautions, protective equipment and emergency procedures**

Put on protective equipment and keep unprotected persons away.

- 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

In case of release of larger quantities, inform competent authorities.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to point 13.

Ensure adequate ventilation.

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage**- 7.1 Precautions for safe handling**

Prevent formation of aerosols.

Avoid contact with eyes or skin.

Ensure good ventilation/extraction at the workplace.

- Information about protection against explosions and fires:

Observance of the general rules of preventive operational fire protection.

- 7.2 Conditions for safe storage, including any incompatibilities**- Storage** Store in cool, dry conditions in well sealed containers.**- Requirements to be met by storerooms and containers:**

Observe laws and regulations on the storage and use of substances hazardous to water.

Store in the delivery container or in PE containers.

- Information about storage in one common storage facility: Store away from oxidising agents.**- Further information about storage conditions:** Keep container tightly sealed.**- Storage class 12 (VCI - Konzept, 2007)****- 7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****- 8.1 Control parameters****- Components with critical values that require monitoring at the workplace:****102-71-6 Triethanolamine**AGW (Germany) Long-term value: 1 E mg/m³
1(I);DFG, Y**34590-94-8 Dipropylene glycol monomethyl ether**AGW (Germany) Long-term value: 310 mg/m³, 50 ppm
1(I);DFG, EU, 11

(Contd. on page 4)

— EUE —

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

Trade name Perkute Cleaner 03

(Contd. of page 3)

EG (Germany)	Short-term value: 614 mg/m ³ , 100 ppm Long-term value: 308 mg/m ³ , 50 ppm
MAK (Germany)	Long-term value: 310 mg/m ³ , 50 ppm als Dampf und Aerosol
IOELV (EU)	Long-term value: 308 mg/m ³ , 50 ppm Skin

95-14-7 benzotriazole

MAK (Germany) vgl. Abschn. Xc, Dampf und Aerosol

- DNELs**10043-35-3 boric acid**

Oral	DNEL (population)	0,98 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	392 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	196 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	8,3 mg/m ³ (Long-term, systemic effects)
	DNEL (population)	4,15 mg/m ³ (Long-term, systemic effects)

102-71-6 Triethanolamine

Oral	DNEL (population)	3,3 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	7,5 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	2,66 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	0,14 mg/cm ² (Long-term, local effects)
	DNEL (population)	0,07 mg/cm ² (Long-term, local effects)
	DNEL (worker)	1 mg/m ³ (Long-term, local effects)
	DNEL (population)	0,4 mg/m ³ (Long-term, local effects)

34590-94-8 Dipropylene glycol monomethyl ether

Oral	DNEL (population)	36 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	283 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	121 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	308 mg/m ³ (Long-term, systemic effects)
	DNEL (population)	37,2 mg/m ³ (Long-term, systemic effects)

95-14-7 benzotriazole

Oral	DNEL (population)	0,12 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	0,24 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	0,12 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	4,2 mg/m ³ (Long-term, systemic effects)
	DNEL (population)	2,1 mg/m ³ (Long-term, systemic effects)

- PNECs**10043-35-3 boric acid**

PNEC water	1,35 mg/l (freshwater)
	1,35 mg/l (Seawater)
PNEC	10 mg/l (sewage plant)
PNEC sediment	1,8 mg/kg (freshwater)
	1,8 mg/kg (Seawater)
PNEC soil	5,4 mg/kg (soil)

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

Trade name Perkute Cleaner 03

(Contd. of page 4)

102-71-6 Triethanolamine	
PNEC water	5,12 mg/l (intermittent releases)
PNEC	0,32 mg/l (freshwater) 0,032 mg/l (Seawater)
PNEC	0,151 mg/kg dw (soil)
PNEC sediment	1,7 mg/kg dw (freshwater) 0,17 mg/kg dw (Seawater)
PNEC STP	10 mg/l
34590-94-8 Dipropylene glycol monomethyl ether	
PNEC water	19 mg/l (freshwater) 1,9 mg/l (marine water)
PNEC water	190 mg/l (intermittent releases)
PNEC	4168 mg/l (sewage plant)
PNEC sediment	70,2 mg/kg (freshwater) 7,02 mg/kg (marine water)
PNEC soil	2,74 mg/kg (soil)
95-14-7 benzotriazole	
PNEC	0,0097 mg/l (Seawater) 0,097 mg/l (freshwater) 9,4 mg/l (sewage plant)
PNEC sediment	1,1 mg/kg (freshwater) 0,11 mg/kg (marine water)
PNEC soil	0,169 mg/kg (soil)
PNEC STP	9,4 mg/l (sewage plant)

- **Additional information:** The lists that were valid during the compilation were used as basis.

- 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from food, beverages and fodder.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

- **Breathing equipment:** In case of dizzying-dust breathing protection is required

- **Recommended filter device for short term use:** Combination filter AB-P2

- **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

Trade name **Perkute Cleaner 03**

(Contd. of page 5)

- Penetration time of glove material

Change gloves if notice sign of disenchantment.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection Safety goggles are recommended when decanting.**- Body protection:** Standard protective work clothing.*** SECTION 9: Physical and chemical properties****- 9.1 Information on basic physical and chemical properties****- General Information****- Physical state**

Liquid

- Colour:

Light yellow

- Smell:

Characteristic

- Odour threshold:

Not determined.

- Melting point/freezing point:

Not determined

- Boiling point or initial boiling point and boiling range

100 °C (7732-18-5 water, distilled, conductivity or of similar purity)

- Flammability

Not applicable.

- Lower and upper explosion limit**- Lower:**

Not determined.

- Upper:

Not determined.

- Flash point:

93 °C

- Decomposition temperature:

Not determined.

- pH at 20 °C

9

- pH-value:**- Viscosity:****- Kinematic viscosity**

Not determined.

- dynamic:

Not determined.

- Solubility**- Water:**

Fully miscible

- Partition coefficient n-octanol/water (log value)

Not determined.

- Vapour pressure at 20 °C:

23 hPa (7732-18-5 water, distilled, conductivity or of similar purity)

- Density and/or relative density**- Density at 20 °C**1,07 g/cm³**- Relative density**

Not determined.

- Vapour density

Not determined.

- 9.2 Other information**- Appearance:****- Form:**

Fluid

- Important information on protection of health and environment, and on safety.**- Self-inflammability:**

Product is not selfigniting.

- Explosive properties:

Product is not potentially explosive

- Evaporation rate

Not determined.

- Information with regard to physical hazard classes**- Explosives**

Void

- Flammable gases

Void

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

Trade name **Perkute Cleaner 03**

(Contd. of page 6)

- Aerosols	Void
- Oxidising gases	Void
- Gases under pressure	Void
- Flammable liquids	Void
- Flammable solids	Void
- Self-reactive substances and mixtures	Void
- Pyrophoric liquids	Void
- Pyrophoric solids	Void
- Self-heating substances and mixtures	Void
- Substances and mixtures, which emit flammable gases in contact with water	Void
- Oxidising liquids	Void
- Oxidising solids	Void
- Organic peroxides	Void
- Corrosive to metals	Void
- Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** strong oxidising agents
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- LD/LC50 values that are relevant for classification:

10043-35-3 boric acid

Oral	LD50	>2060 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit) (OECD 402)

102-71-6 Triethanolamine

Oral	LD50	>5000 mg/kg /Literatur (rat) (OECD 401)
Dermal	LD50	>2000 mg/kg (rabbit) (OECD 402)

34590-94-8 Dipropylene glycol monomethyl ether

Oral	LD50	5135 mg/kg (rat)
Dermal	LD50	9510 mg/kg (rabbit)
Inhalative	LC 50 / 4 h	55-60 mg/l (rat)

95-14-7 benzotriazole

Oral	LD50	560 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

Trade name **Perkute Cleaner 03**

(Contd. of page 7)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

- STOT-repeated exposure:		
34590-94-8 Dipropylene glycol monomethyl ether		
Oral	NOAEL subacute	1000 mg/kg/28d (rat)
Dermal	NOAEL	2850 mg/kg /Subchronis (rabbit)

- **11.2 Information on other hazards**- **Endocrine disrupting properties**

95-14-7 benzotriazole

List II

List I: Substances identified as endocrine disruptors at EU level.

List II: Substances screened for endocrine disruption under EU legislation.

List III: Substances considered by the evaluating national authority to have endocrine disrupting properties.

* SECTION 12: Ecological information

- **12.1 Toxicity**- **Aquatic toxicity:****10043-35-3 boric acid**

LC 50 / 96 h	456 mg/l (<i>Pimephales promelas</i>)
LC 50 / 72 h	1020 mg/l (<i>Carassius auratus</i>)
EC 50 / 48 h	133-760 mg/l (<i>Daphnia magna</i>)
EC 50 / 72 h	229 mg/l (<i>Pseudokirchneriella subcapitata</i>)

102-71-6 Triethanolamine

LC 50 / 96 h	11800 mg/l (<i>Pimephales promelas</i>)
EC 50 / 48 h	>100 mg/l /statisch (<i>Ceriodaphnia dubia</i>) (Literaturwert)
EC50 / 3h	>1000 mg/l (activated sludge (DEV - L2)) (OECD 209 (Activated Sludge, Resp. Inhibition Test))
EC 50 / 24 h	2038 mg/l (<i>Daphnia magna</i>)
EC 50 / 72 h	512 mg/l (<i>Scenedesmus subspicatus</i>)

34590-94-8 Dipropylene glycol monomethyl ether

LC 50 / 96 h	>1000 mg/l (fish)
	>10000 mg/l (<i>Pimephales promelas</i>)
LC 50 / 48 h	1919 mg/l (<i>Daphnia magna</i>)
EC 50 / 96 h	969 mg/l (<i>Selenastrum capricornutum</i>)
EC 50 / 72 h	>969 mg/l (<i>Pseudokirchneriella subcapitata</i>)
NOEC	≥0,5 mg/l /22 d (<i>Daphnia magna</i>)
NOEC / 72 h	969 mg/l (<i>Pseudokirchneriella subcapitata</i>)

(Contd. on page 9)

EUE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

Trade name Perkute Cleaner 03

(Contd. of page 8)

95-14-7 benzotriazole	
LC 50 / 96 h	180 mg/l (Danio rerio) (OECD 203 (Acute toxicity - fish))
LC 0 / 96 h	100 mg/l (Brachydanio rerio)
EC 50 / 48 h	15,8 mg/l (Daphnia magna) (OECD 202)
EC 50 / 72 h	75 mg/l (Pseudokirchneriella subcapitata)
EC 10	0,97 mg/l (Daphnia magna) (OECD 211, 21d)
EC 10 / 72 h	1,18 mg/l (Desmodesmus subspicatus)

- 12.2 Persistence and degradability**102-71-6 Triethanolamine**

DOC - Elimination	96 % (OECD 301 E)
Biodegradability	91 % (bacteria) (28 d, modif. Sturm-Test)

34590-94-8 Dipropylene glycol monomethyl ether

DOC - Elimination	>70 % (OECD 301 E)
Biodegradability	91 % /28 d (ISO 14593) 75 % /10d (OECD 301 F)

- 12.3 Bioaccumulative potential No further relevant information available.**- 12.4 Mobility in soil** No further relevant information available.**- 12.5 Results of PBT and vPvB assessment****- PBT:** Not applicable.**- vPvB:** Not applicable.**- 12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.**- 12.7 Other adverse effects****- Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):****102-71-6 Triethanolamine**

EC 50	>1000 mg/l (activated sludge (method OECD 209))
-------	---

34590-94-8 Dipropylene glycol monomethyl ether

EC 10	4168 mg/l /18 h (Pseudomonas putida)
EC 20	>1000 mg/l (activated sludge (method OECD 209))

95-14-7 benzotriazole

EC 50	1060 mg/l (OECD 209 / ISO 8192)
-------	---------------------------------

- Additional ecological information:**- General notes:**

Do not allow to enter drainage system, surface or ground water

Water hazard class 1 (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

The note below refers to the product left as it is and not to further processed products. When mixed with other products, other disposal routes may be required; if in doubt, consult the supplier of the product or the local authority.

- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

- Waste disposal key number:

Since 1 January 1999, the waste code numbers have not only been product-related but essentially application-related. The waste code number valid for the application can be taken from the European Waste Catalogue.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

Trade name **Perkute Cleaner 03**

(Contd. of page 9)

- **Uncleaned packagings:** Disposal in accordance with official regulations.- **Recommendation:**

L e v e l o p m e n t : After optimal emptying, immediately return to the supplier tightly closed and without cleaning. Make sure that no foreign matter gets into the packaging!

Other containers: Empty completely and clean for reconditioning or reprocessing.

SECTION 14: Transport information

- 14.1 UN number or ID number - ADR/RID, IMDG, IATA	Void
- 14.2 UN proper shipping name - ADR/RID, IMDG, IATA	Void
- 14.3 Transport hazard class(es) - ADR/RID, IMDG, IATA - Class	Void
- 14.4 Packing group - ADR/RID, IMDG, IATA	Void
- 14.5 Environmental hazards: - Marine pollutant:	Not applicable. No
- 14.6 Special precautions for user	Not applicable.
- 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
- Transport/Additional information:	Not dangerous according to the above specifications.
- UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Labelling according to Regulation (EC) No 1272/2008 Void

- Hazard pictograms Void

- Signal word Void

- Hazard statements Void

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I None of the ingredients is listed.

- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148

- Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 11)

— EUE —

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

Trade name Perkute Cleaner 03

(Contd. of page 10)

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations

- Information about limitation of use:

Employment restrictions concerning young persons must be observed.

- VOC:

Volatile organic solvents, which can contribute to the VOC value, are not contained in the formulation.

- Other regulations, limitations and prohibitive regulations

- Substances of very high concern (SVHC) according to REACH, Article 57

10043-35-3 | boric acid

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- Application: Please refer to the technical data sheet for application instructions.

- Registration-Number

- Relevant phrases

Complete wording of hazard statements and risk phrases (H-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child.

H411 Toxic to aquatic life with long lasting effects.

- Department issuing data specification sheet: See section 1.3: Responding area

- Date of previous version: 11.04.2023

- Version number of previous version: 116.02

- Abbreviations and acronyms:

NOAEL: No Observed Adverse Effect Level

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

(Contd. on page 12)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.01.2025

Version number 116.03 (replaces version 116.02)

Revision: 30.01.2025

Trade name Perkute Cleaner 03

(Contd. of page 11)

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

- * **Data compared to the previous version altered.**

— EUE —